ORDINANCE NO. 2009-

AN ORDINANCE OF THE VILLAGE OF KEY BISCAYNE, FLORIDA. AMENDING SECTION 30-103 "HOTEL RESORT DISTRICT;" PROVIDING FOR AMENDMENTS TO THE PURPOSE AND USES; PROVIDING FOR AMENDMENTS TO THE LIST OF PERMITTED, CONDITIONAL, AND PROHIBITED USES; PROVIDING FOR DEVELOPMENT AMENDMENTS TO THE **REGULATIONS**; PROVIDING FOR SUPPLEMENTARY REGULATIONS; PROVIDING FOR AMENDMENTS TO SECTION 30-184 "AMOUNT OF REQUIRED OFF-STREET PARKING" RELATING TO THE REQUIRED OFF-STREET PARKING FOR HOTELS OR MOTELS; PROVIDING FOR SEVERABILITY; PROVIDING FOR CONFLICTS; AND PROVIDING FOR AN EFFECTIVE DATE.

WHEREAS, the Village Council requested that the Zoning Ordinance Review Committee review and analyze the existing Hotel Resort District regulations; and

WHEREAS, the Zoning Ordinance Review Committee held several meetings to discuss the existing Hotel Resort District regulations and developed significant revisions to the District regulations; and

WHEREAS, the Zoning Ordinance Review Committee has recommended that the proposed modifications to the Village's land development regulations be approved; and

WHEREAS, the Village staff recommends approval of the proposed modifications to the Village's regulations and finds that these regulations are consistent with the Village's Comprehensive Plan; and

WHEREAS, the Village Council, sitting as the Local Planning Agency, has reviewed this Ordinance and has recommended approval; and

WHEREAS, the Village Council hereby finds and declares that adoption of this Ordinance is necessary, appropriate, and advances the public interest.

NOW, THEREFORE, IT IS HEREBY ORDAINED BY THE VILLAGE COUNCIL OF THE VILLAGE OF KEY BISCAYNE, FLORIDA, AS FOLLOWS¹:

 $\underline{\textbf{Section 1}}. \quad \text{The preceding "Whereas" clauses are ratified and incorporated as the legislative intent of this Ordinance.}$

Section 2. Amendment to Section 30-103 of the Village Code. Section 30-103 "Hotel Resort District" of the Village Code of Ordinances is hereby amended to read as follows:

Sec. 30-103. Hotel Resort District.

(a) Purpose and Uses.

District Purpose	Main Permitted Uses	Conditional Uses	Accessory Uses	Prohibited Uses
This district is designed to promote the Development of ocean resort Hotels, and Single Family, Townhome, or multiple Family residences in a manner that is consistent with the mass and scale of adjacent properties.	7. Uses seaward of the	None	Any Use that is customarily associated with the Main Permitted Uses (See sec. 30-111)	Any Use not listed as a Main Permitted Use, Conditional Use, or Accessory Use (See sec. 30-113) Hotel and Apartment Buildings are prohibited within 120 ft. of the Holiday Colony subdivision.

¹ Coding: <u>underlined</u> words are additions to existing text, struck through words are deletions from existing text, shaded text reflects changes made from First Reading.

area is free of any such structures; and (3) no such individual structure shall exceed 15% of the permitted area.		

(b) Development Regulations.

Use	Density	Setback	Height And Floor	Lot	Minimum Lot
<u>03C</u>	Density	SCIDACK		Coverage	Area
G: 1	M.1. 100 C C	G G 1: 20	Area Ratio		
Single	Within 120 ft. of		See "Floor Ratio and		12,000 sq. ft.
<u>Family</u>	Holiday Colony	<u>100 (e)</u>	Height Zone	30-100(b)	
	Subdivision		Sketch."		
	density shall be				
	limited to 1				
	single family				
	home per 100 ft.				
	of lot width and				
	minimum lot				
	depth of 120 ft.				
	When not				
	located within				
	120 ft. of the				
	Holiday Colony				
	Subdivision,				
	then as set forth				
	on the approved				
	Site Plan.				
	16 11 1	g g : 20	C (El D : 1	a a :	A C 1
<u>Townhome</u>	16 Units per	See Section 30-	See "Floor Ratio and		As set forth on
	acre. Lot	100 (b)	Height Zone	30-11(b)	the approved
	dimensions shall		Sketch."		site plan
	be as shown on				
	the approved				
	Site Plan.				

Hotel Only	30 Units per acre. No Hotel shall exceed 350 units	25 ft. + 5 ft. per floor above the first floor but not to exceed 50 ft. Side: 25 ft. minimum. No portion of the Building may extend beyond a "building envelop" formed by a prism the base of which is formed by the Lot boundaries and whose height is defined by two base angles of 63 degrees each (see "Building Envelope Sketch"). Rear: 25 ft, + 5 ft. per	See "Floor Ratio and Height Zone Sketch."	_40	The site shall be subdivided as of the date of this ordinance
Apartment Building Only	16 Units per acre.	Same as Hotel above	See "Floor Ratio and Height Zone Sketch."	<u>.40</u>	The site shall be subdivided as of the date of this ordinance

Hotel and	12 Apartment	Same	as Hotel	See "Floor Ratio and	<u>.40.</u>	The site shall	
Apartment	Building Units	above		Height Zone		be subdiv cfriedman 9/14/09 8:37 AIM Comment: Please note that the height has been	
Building	per acre and 30			Sketch." In		as of the changed back to 150 Ft. in order to allow the	
(either	Hotel Units per			addition, for every		of additional height only if a bonus is provided.	
combined	acre. There shall			additional		ordinance	
<u>in</u> one	be a minimum of			Apartment Building			
<u>building</u>	60 Apartment			Unit and Hotel Unit			
or separate	Building Units			above the minimum			
<u>buildings</u>	and a maximum			amount of Units			
on the	<u>of 100</u>			required, the			
same site)	Apartment			maximum amount of			
	Building Units.			total Floor Area			
	In addition, there			permitted shall be			
	shall be a			decreased by the			
	minimum of 100			square footage of the			
	Hotel Units and			additional Unit(s).			
	a maximum of						
	250 Hotel Units.						
	For each one (1)						
	Apartment						
	Building Unit						
	above the						
	<u>required</u>						
	<u>minimum</u>						
	number of Units						
	there shall be						
	two and one half						
	(2.5) Hotel						
	<u>Units.</u>						

c. Hotel Bonus Schedule

Any development which exceeds 12 units per acre for an Apartment Building(s) or 30 units for a Hotel Building(s) may utilize the following schedule:

1. Dedication of a public park

- A. An additional _____shall be permitted if a public park is dedicated to the Village for all of the land within the Zone 1 on the "Floor Ratio and Height Zone Sketch."
- B. For every _____ square foot of public park dedicated to the Village within Zones 2-5 on the "Floor Ratio and Height Zone Sketch" an additional _____ shall be permitted.
- C. For every _____ square foot land off site that is dedicated to the Village for a public park(s) an additional ____ shall be permitted.

cfriedman 9/14/09 8:35 AM

Comment: Do we want the bonus to apply only if the development exceeds the required amount of density?

2.	<u>Separation buildings.</u> For every linear feet greater than 50 linear feet between buildings in Zones 2-4 on the "Floor Ratio and Height Zone Sketch" an additional shall be permitted.
3.	Leadership Energy and Environmental Design (LEED)
	A. An additional shall be permitted if a LEED Certified Silver Building is constructed.
	B. An additional shall be permitted if a LEED Certified Gold Building is constructed.
	C. An additional shall be permitted if a LEED Certified Platinum Building is constructed.
4.	Streetscape Improvements.
	A. <u>Sonesta Drive</u> . If the following streetscape improvements are made to Sonesta Drive an additional shall be permitted:
	 New curb and gutter. Sidewalk Street lighting Drainage Underground utilities Pavers Traffic Calming Devices
	B. <u>East Heather Drive</u> . If the following streetscape improvements are made to East Heather Drive an additional shall be permitted:
	 New curb and gutter. Sidewalk Street lighting Drainage Underground utilities Pavers Traffic Calming Devices
5.	<u>Unified site plan.</u> An additional shall be permitted if a unified site plan for 301 and 350 Ocean Drive is approved by the Village Council.
6.	Remote parking & bus. If 20% of the employees of the hotel come to work by bus a% reduction in parking shall be permitted. In order to qualify for this bonus, the hotel

operator shall provide the Village with an executed long term agreement that provides for parking for such employees outside of the Village limits. For every percentage point above 20%, the parking requirement shall be reduced by a ½ of percentage point with the maximum amount of parking reduction not to exceed

7. Affordable housing. For every apartment unit sold or leased on an income restricted basis to persons or families who have resided in the Village for more than 10 years and are 65 or older with incomes below 140% of Area Median Income 1/10 of a credit will be given to a maximum of ½ credit for up to 5 units of this type. This income and age restriction will be for 20 years.

d. Supplementary Regulations

1. Hotel

- a. <u>Unit Size- Average Hotel unit size shall be based on the Site Plan Review Criteria as</u> set forth in Sec 30-80 and by documentation submitted to justify said determination.
- b. Cooking facilities Cooking Facilities in Hotel Buildings shall be limited to the following: (i.) One Microwave Oven with a maximum size of 2.0 cubic ft.; (ii.) One refrigerator with a maximum size of 5 cubic ft.; and (iii.) Toasters, coffeemakers, and an ice maker.
- c. Common Area Kitchen in Hotel Buildings- The common area kitchen in Hotel Buildings shall be limited to one room per floor with access directly from a hallway or lobby. No kitchen shall have access to a hotel unit. The use of this kitchen is solely limited to the warming and refrigeration of foodstuffs that are prepared in the hotel or brought from an off site location to the hotel. Kitchen equipment, cooking facilities, silverware, supplies, and appliances that are directly related to this purpose are permitted.
- d. Any Unit with a door to a hallway or lobby is determined to be a Unit.

2. Floor Area Ratio

- a. The Floor Area Ratio shall be as provided on the "Floor Area Ratio and Height Zone Sketch." Floor Area that is not used in the Floor Area Ratio calculation in Zones 1, 2, or 5 within the "Floor Area Ratio and Height Zone Sketch" may be applied to Zones 3 or 4; however, the maximum Floor Area Ratio across the entire development site shall not exceed a Floor Area Ratio of 1.88.
- b. Parking garages located below the Base Flood Elevation shall not be included in the Floor Area Ratio calculation. When the parking garage is located above the Base Flood Elevation, it shall be included in the Floor Area Ratio calculation.

cfriedman 9/13/09 9:50 PM

Comment: I have removed the bus pass idea as I think it would be hard to enforce.

- c. <u>If a development contains Hotel and Apartment Units, then the lot area which is</u> counted towards one Use cannot be counted towards another use.
- d. The maximum FAR for a Development is 1.88.
- e. The FAR assigned to Zone 5 shall only be distributed to Zones 3 and 4.
- 3. <u>Determination of Yards. The determination of yards shall be as shown in the "Yard Determination Sketch".</u>
- 4. <u>Dedicated Easement</u>. The Site Plan shall show a dedicated easement from the Erosion Control Line along the two longest side lot lines of the property. The minimum required width of the easement shall be 7.5 ft. The Site Plan Review criteria (Sec. 30-80) shall be used to determine the maximum required width of the easement.
- 5. Service Areas and Loading Docks. All service areas shall be adequately screened or buffered from adjacent properties. In addition, loading docks shall be internal to the building.

INSERT TRIANGLE SKETCH

INSERT FLOOR ARA RATIO AND HEIGHT SKETCH

YARD DETERMINATION SKETCH

-Density	Maximum Height	Lot- Coverage	Minimum Lot Area
Hotel 30 Units per acre No Development shall exceed 350 Hotel Units Apartment Building 16 Units per acre If a Development contains Hotel and Apartment Units, then Lot area, which is counted towards one Use, cannot be counted towards another Use.	150 ft.	.40	The site shall be subdivided as of the date of this ordinance.

— Setback Floor Area Ratio

Front:	25 ft. + 5 ft. per floor above the first floor but not to exceed 50 ft.	.40, however oceanfront and bayfront Buildings that provide a 7.5 ft. dedicated Easement on each side of the property from the Street to the beach shall use the following:
Side:	25 ft. minimum (however no portion of Building may extend beyond a "building envelope" formed by a prism the base of which is formed by the Lot boundaries and whose height is defined by two base angles of 63 degrees each, * see sketch below). Side Setbacks shall be measured from the dedicated Easement as required in the Floor Area Ratio calculation.	1 Story .40 4 Story 1.00 7 Story 1.60 2 Story .60 5 Story 1.20 8 Story 1.80 3 Story .80 6 Story 1.40 9 Story+ 2.00 The dedicated Easement shall be counted in the Floor Area Ratio calculation. The Easement shall be improved with landscaping and a hard paved surface. The improvements shall require approval by the Building, Zoning, and Planning Director prior to the issuance of a building permit and must be installed prior to the issuance of a certificate of occupancy.
Rear:	25 ft. + 5 ft. per floor above the first floor but not to exceed 50 ft.	

Section 3. Amendment to Section 30-184 of the Village Code. Section 30-184

Sec. 30-184. Amount of required off-street Parking.

(a) The required off-street Parking spaces shall be provided and maintained on the basis of the minimum requirements listed in this article.

Use	Required Number of Spaces	Special Conditions Additional Required Spaces
-----	---------------------------	--

[&]quot;Amount of required off-street Parking" of the Village Code of Ordinances is hereby amended to read as follows:

(1) Apartment Building	1.75 per Unit	Developments with more than 10 Units, then 1 additional per 5 Units, marked as guest Parking
***	***	***
(6) Hotel or Motel	+ .75 per Unit. If the parking garage or parking lot is operated as a valet service, then the parking spaces may be shown on the site plan in tandem. The site plan application shall include a valet parking plan.	Accessory Uses 65% of requirement if calculated as a Main Permitted Use
***	***	***

Section 4. Severability. The provisions of this Ordinance are declared to be severable and if any section, sentence, clause or phrase of this Ordinance shall for any reason be held to be invalid or unconstitutional, such decision shall not affect the validity of the remaining sections, sentences, clauses, and phrases of this Ordinance but they shall remain in effect, it being the legislative intent that this Ordinance shall stand notwithstanding the invalidity of any part.

<u>Section 5.</u> <u>Conflicts.</u> All ordinances or parts of ordinances, resolution or parts of resolutions, in conflict herewith, are repealed to the extent of such conflict.

<u>Section 6.</u> <u>Effective Date.</u> This Ordinance shall become effective immediately upon adoption on second reading.

	PASSED AND ADOPTED on first reading this day of, 200
	PASSED AND ADOPTED on second reading this day of, 200
ATTEST:	MAYOR ROBERT L. VERNON
CONCHI	TA H. ALVAREZ CMC. VILLAGE CLERK

APPROVED AS TO FORM AND I	LEGAL SUFFICIENCY:
VILLAGE ATTORNEY	